MSDH WATER SUPPLY TO THE SUPPLY 2010 NOY 18 AM 9: 03



MISSISSIPPI STATE DEPARTMENT OF HEALTH

BUREAU OF PUBLIC WATER SUPPLY

CALENDAR YEAR 2009 CONSUMER CONFIDENCE REPORT CERTIFICATION FORM

THE STATE OF THE S
STONE UT Supply Name
List PWS ID #s for all Water Systems Covered by this CCR
The Federal Safe Drinking Water Act requires each community public water system to develop and distribute a consumer confidence report (CCR) to its customers each year. Depending on the population served by the public water system, this CCR must be mailed to the customers, published in a newspaper of local circulation, or provided to the customers upon request.
Please Answer the Following Questions Regarding the Consumer Confidence Report
Customers were informed of availability of CCR by: (Attach copy of publication, water bill or other)
Advertisement in local paper On water bills Other
Date customers were informed://
CCR was distributed by mail or other direct delivery. Specify other direct delivery methods:
Date Mailed/Distributed: / /
CCR was published in local newspaper. (Attach copy of published CCR or proof of publication)
Name of Newspaper: STENE CO. ENTERPRISE
Date Published: 6/23/2010
CCR was posted in public places. (Attach list of locations)
Date Posted: 6 /23/2010
CCR was posted on a publicly accessible internet site at www.
CERTIFICATION
I hereby certify that a consumer confidence report (CCR) has been distributed to the customers of this public water system in the form and manner identified above. I further certify that the information included in this CCR is true and correct and is consistent with the water quality monitoring data provided to the public water system officials by the Mississippi State Department of Health, Bureau of Public Water Supply.
Name/Title (President, Mayor, Owner, etc.) 11-17-10 Date
Mail Completed Form to: Bureau of Public Water Supply/P.O. Box 1700/Jackson, MS 39215 Phone: 601-576-7518

570 East Woodrow Wilson • Post Office Box 1700 • Jackson, MS 39215-1700 601-576-8090 • 1-866-HLTHY4U • www.HealthyMS.com

Equal Opportunity in Employment/Services

RECEIVED-WATER SUPIET

2009 Annual Drinking Water Quality Report Stone Utility Association, Inc. PWS#: 0660021 June 2010

2010 JUN 10 AM 9: 16

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from wells drawing from the Miocene Aquifer.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identify potential sources of contamination. The general susceptibility rankings assigned to each well of this system are provided immediately below. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the Stone Utility Association, Inc. have received a lower susceptibility ranking to contamination.

If you have any questions about this report or concerning your water utility, please contact Cecil Daniels at 601.528.4019. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the second week of each month at 6:00 PM at 2439 Park – Silver Run Road, Perkinston, MS or the annual meeting held the first Tuesday of March at 7:00 PM at the same location.

We routinely monitor for constituents in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that were detected during the period of January 1st to December 31st, 2009. In cases where monitoring wasn't required in 2009, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) – The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) – The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

				TEST RES	ULTS			
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure- ment	MCLG	MCL	Likely Source of Contamination



Inorganic (Conta	minants							
10. Barium	N	2008*	.005	No Range	ppm		2		Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
13. Chromium	N	2008*	.9	No Range	ppb		100	10	Discharge from steel and pulp mills; erosion of natural deposits
14. Copper	N	2008*	.1	0	ppm		1.3	AL=1	 .3 Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride	N	2008*	.172	No Range	ppm		4		4 Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2008*	1	0	ppb		0	AL=	15 Corrosion of household plumbing systems, erosion of natural deposits
21. Selenium	N	2008*	.86	No Range	ppb		50	Ę	50 Discharge from petroleum and metal refineries; erosion of natural deposits; discharge from mines
Disinfection	n By-I	Products	}						
81. HAA5	N	2007*	1.1	No Range	ppb	0		60	By-Product of drinking water disinfection.
82. TTHM [Total trihalomethanes]	N	2007*	1.26	No Range	ppb	0		80	By-product of drinking water chlorination.
Chlorine	N	2009	1	.5– 1.5	ppm	0	MRE	DL = 4	Water additive used to control microbes

^{*} Most recent sample. No sample required for 2009.

We have learned through our monitoring and testing that some constituents have been detected however the EPA has determined that your water IS SAFE at these levels.

We are required to monitor your drinking water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any missing samples prior to the end of the compliance period.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing for \$10 per sample. Please contact 601.576.7582 if you wish to have your water tested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1-800-426-4791.

Stone Utility Association is a non-profit organization, where all board members donate their time to manage our system professionally with good healthy drinking water to our members. We works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

Stone County Enterprise IVED - WATER SUPER SUPER

Proof of Publication

STATE OF MISSISSIPPI COUNTY OF STONE CITY OF WIGGINS

On the 3300	day of June	2010
On the	day of	2010
On the	day of	2010
On the	day of	2010
On the	day of	2010
On the	day of	2010

My commission expires

CHARLOTTE WIPPLER

Commission Expires.
July 17, 2012

2009 Annual Drinking Water Quarty Repo Stone Utility Association, Inc. PWStr 060021

typers pleased to present to gour the year's Annual Couldy Wisian Report. This report is designed to tribm you should interest year and annual ment and debere to you seem performs gour than the performance of the province of the performance of the province of the performance of

The source upter assessment has been completed of our public water system to assertate the overall succeptibility of its desiration than overall succeptibility of its desiration produced by the control of the complete supplying the produced succeptibility of its desiration or produced prosedured produced as one used of the systems arrowed prosedured between A record consisting desirated estimation on now the succeptibility adsorrations were made has been consistent or produced by the control of the succeptibility and the control of the cont

If you been any questions about this report of concerning your waser using, private context Great Breaks at 00,505 A019. We work intaked between the private context of the private con

We makely morbite for constitutions in your distining sweet procuring for Figure and Basis (see, The fable bolow has all of the distining reasons are proceeded as the proceeding of a few parts of the control \$17.200 is used which is made to be a few parts of \$100,000 is the process of the control of the c

In this bable you will find many learns and abbreviations you might not be burnion with. To halp you better terburging these terms we' provided the billowing definitions:

Auton Level: the computation of a contemport which, if ascended, triggers beautions or other requirements which a water systematic bloom.

Abstract Contaminat Level (MCL) - The "Masterum Aliceco" (MCL) is the highest level of a consensual step in played in steplin water. MCLs are set as close to the MCLCs are feasible using the best available postners technology.

Macinium Contention I Level Goal (MCLG) - The "Goal"(MCLG) is the level of a personness to carriag vector below which there is known or expected stat, to health. MCLGs above for a margin of solery.

Machiner Residue Distributions Level (MRDL) - The highest level of a countertant aboved in oboding report. There is combined that addition of a distribution is necessary for commitment contentionate.

Mischeure Residual Distributions Lanet Goal (MRDLG) — The forest of a strating water distribution is below writin there as no branch a expected that of health; MRDLGs do not reflect the benefits of the use of distributions to control necrobial contemporate.

Parts per million (spirit) of Milligrams per Mar (highly - one part per million corresponds to one repress in two years or a bingle payray \$10,000.

Parte per billion (spet) or Micrograms per liter - one part per billion consequents to one minute in 2,000 years, or a single party or \$10,000,000.

Contemiouni	Violetion	Date	Loyer	Range of Detects	Link	MCLG T	WCL	Likely Source of Contentination
	**	Expensed	Detected	or 8 of Semples Expension MCUACL	Massure			orologia i
Inorganic (Ontemi	nants	777	N. S. II	1216			our nebre?
						\$170°		经验证的
10 Norton	1	2004	2009	He Range	pprit	2		Discharge of drilling weater, discharge from mobel refronce; process of national deposits.
13 Cheomius	1	2008°	•	No Range	ttep	160	100	Discharge from steel and perposes
Hi. Copper	*	Soot.	1	9	pors	1,9	ALMIA	Conseque of household plantic systems, produce of network departs, leaching from yood preservations
IA Fluoreby	*	2006	172	Ho Range	ppca			Erosion of natural decounts, was additive which promotes allowing seets, decharge from furbiner and aluminum focuses.
17. Leed	H	3000	1	1	pp	9	AL=15	Company of household plurion systems, crosson of setupi

18.73.6009	100		1""	m /mm	usea .			and aphasana promes swey, questade prox payers, septitus ayers bounces spood
17. Leed		3004	1	•	bhy	0	AL-18	Corrocks of household starting systems, crusion of setups deposits
\$1. Setopos		2004	*	No Range	ttrp	30	*	Discharge from politicars and matural servaces, product of natural seposits; photograph from misses
Disinfectio	a By-l	roducts						
81. HAM	×	2007	4.1	No Runge	tep	0		y hadiai al disaling kalal diskribition
83, 17766 (Total interruptures)	N	2007	128	No Range	Hey.	9	90	ly graduct of distring mater obsolvation.

Charles N 2000 1 5-15

Ma have learned fraugh our montaring and leating that some constituents have been detected however the ETA has descripted the your vester IS RAFE at these leaves.

Yet are sequent to monitor your disting seater for appoint constituents on a monthly basis, fisspile of regular monitoring are an indicated of whether or not but disting weeks treat pasts about an a citing to enquire systems complete at monitoring

If greater, devoted levels of lead can cause actions habits incolored, successfully be proposed service and purcy children. Associately the proposed service and proposed services of the proposed services of the proposed services. The proposed services are the proposed services and proposed services. The proposed services are the proposed services are the proposed services are the proposed services. The proposed services are the proposed services are the proposed services. The proposed services are the ser

At accuracy of detailing matter are subject to postered contentionary by soluberages that are optically concernly or man most. This admissions can be precised, incorporate or organic submission and ordinactions beginnings. All principles parts, functioning beginning to approach the property of confidential posterior and property of contentions of contentions. The presence of conferingation contentions of the substitution of the substitution of contentions contentions and property function of contentions and contentions are contentions are contentions and contentions are contentions.

Some pages may be some wherehold to configurations in dicting water share the general population, framework programs and an period with control undergon productions and to be produced to compare any programs and the production programs and the production of the pr

MBM Association is a monopole organization, when all board meritors decide their first to manage one is claim reclaims and handles are found to the second t